0000003 167669

## MONTGOMERY COUNTY, OHIO HEALTH DISTRICT

Name of Landfill SOUTH DAYTON	DUMP & LANDFILL	Location 12	75 SPRINGBORO PIKE	
Name of Operator ALCINE GRILLO	T	Address 27	08 KREITZER ROAD	
Method of Operation - Trench	Area		Other	
Estimated Daily Receipts - Loads _	250 Tons		Cubic Yards	
Area of Landfill - Total Acres	Acres Filled	Esti	imated Remaining Life	Y
General Characteristics of Site - 0	Quarry	Borrow Pit		
Gravel PitX	Strip Mine	Gully	Hillside	
Level Area	Marsh or Flood Plain		Other	
Hours of Operations	A. M. To	P. M.	Days operated per week	
Geographic Area Served MONTGOMER			/ed	<del></del>
License Number5	Salvaging Permitted - Yes		No	
Items marked by (X) are in violation	in.			
I. SITE - HE-24-04	IV.	OPERATOR · HE-24-0	9	
Ground Water Protection	(a) Operated According		(i) Vector Control	
Surface Runoff	(b) Access to Site Limit	ited	General Operation	<del></del>
Leachate Runoff	(c) Dumping Area Restr		Supplemental Contro	)1
Solid Waste in Water Course	(c) Blowing Paper & Del		(j) Salvaging	
Oust Control	(d) Equipment Adequate		(k) Animals Excluded	
Odor Control	(d) Equipment Repair	<del>- x</del>	(l) Fire Protection	
Smoke Control	(e) Properly Spread	— <u>~</u>	(m) Hot or Burning Loads	X
	(e) Properly Compacted	_	(n) Records	
II. DUMPING & BURNING - HE-24-06	(f) Covered Material Ac	dequateX	(o) Responsible Party	
Open Dumping	(f) Covered Daily		Present	
Open Burning	(f) Finished Cover Adec			
III. APPROVALS	(h) Special Material Ha	•	<del>_</del>	
III. MEINUTALS	Sewage Solic	*		
Site - HE-24-07	Sewage Liqui			
Plan - HE-24-08	Hazardous St		<u></u>	
	GE AND REFUSE SHALL BE SPA	· · · · · · · · · · · · · · · · · · ·		
	SUGHLY COMPACTED WITH HEAV			
OPERATIO:	, THE AREA SHALL BE COVER	ED WITH A MINI	MUM OF SIX (6) INCHES OF	EARTH
AND THORE	DUGHLY COMPACTED. NO EXPO	SED GARBAGE OR	REFUSE WILL BE PERMITTED	3 AT
THE CLOSE	OF DAILY OPERATION.			
SECTION 65 65 BURNING V	VILL NOT BE PERMITTED ON THE	HE LANDFILL SI	TE. IF BURNIE OF WOOD,	FREE
GARBAGE A	AND REFUSE IS PERMITTED ON	ADJACENT PROP	ERTY BY LOCAL ZONING AND	FIRE
OFFICIAL	S, THIS BURNING MUST BE KE	PT A MINIMUM O	F 300' FROM THE LANDFILL	SITE.
HE-24-09 (N) THE ATTACK	HED DAILY LOG FORMS SHALL	BE FILLED OUT	DAILY AND GIVEN TO THE IN	NSPECT
ING SANIT	ARIAN WHEN COMPLETED.			

MONTGOMERY COUNTY, OHIO
HEALTH DISTRICT

Name of Landfill SOUTH DATTO	N DUMP & LANDFILL	Location 1975	SPRINGBORO PIKE
Name of Operator ALCINE CRIL			KREITZER ROAD
	Area		_ Other
Estimated Daily Receipts - Loads _			Cubic Yards
	Acres Filled	Estimated	Remaining Life
	Quarry		<del></del> •
Gravel PitX	Strip Mine	Gully	Hillside
	Marsh or Flood Plain		
Hours of Operations	A. M. To	P.M. Days	operated per week
deographic nica periog			
License Number	Salvaging Permitted - Yes	No	
I tems marked by (X) are in violati	on.		
I. SITE - HE-24-04	IV.	OPERATOR - HE-24-09	•
Ground Water Protection	(a) Operated According	to Plan	(i) Vector Control
Surface Runoff	(b) Access to Site Limi	ted	General Operation
Leachate Runoff	(c) Dumping Area Restri	cted	Supplemental Control
Solid Waste in Water Course	(c) Blowing Paper & Deb	ris <u></u>	(j) Salvaging
ust Control	(d) Equipment Adequate	<del></del>	(k) Animals Excluded
Odor Centrol	(d) Equipment Repair	<del></del>	(1) Fire Protection
Smoke Control	(e) Properly Spread	_ <u>X</u>	(m) Hot or Burning Loads
	(e) Properly Compacted		(n) Records
II. DUMPING & BURNING - HE-24-06	(f) Covered Material Add	equate	(o) Responsible Party
Open Dumping	X (f) Covered Daily		Present
Open Burning	(f) Finished Cover Adeq		
	(g) Finished Grade Adeq		
III. APPROVALS	(h) Special Material Ha	-	
Site - HE-24-07	Sewage Solid		
Plan - HE-24-08	Sewage Liqui		
	Hazardous Su	ostances	
COMMENTS AND RECOMMENDATIONS:			
Section 65.65 All garba	ge and refuse shall be spre	ad in a layer of a	ipproximately one (1) foot
	weekle companied with become	and ment At the	and of each device
and thoro	ughly compacted with heavy	equipment. At the	end of each day's
operation	, the area shall be covered	with a minimum of	six (6) inches of earth
and thore	ughly compacted. No expose	d garbage or refu	se will be permitted at
the alone	of daily operation.		·
Gie Close	Of daily operations		
Recommend	contacting your customers	and having them se	eparate refuse requiring
landfill	from inert industrial waste	•	
Section 65 65 Demand	ill not be permitted on the	landfill eita	If humning of wood, free (
Section 05.05 Surning w	TIL not be parmitted on the	Talletttt 2166.	ir burning or soon, rive t
garbage a	nd refuse is permitted on ad	jacent property b	y local soning and fire
officials	, this burning must be kept	a minimum of 300	from the landfill site.
	•		

XXX

# MONTGOMERY COUNTY, OHIO HEALTH DISTRICT

		& LANDFILL			
Method of Operation - Tren	nch	Area		Other	
Estimated Daily Receipts -	Loads	Tons _		Cubic Yards	<del></del>
				ted Remaining Life	
				Hillside	
				Other	
Hours of Operations	OMESY COL	A. M. TO	P. M. C	ays operated per week	····································
		Salvaging Permitted - Yes			
Litterise Number		Salvaging Permittled - 1es		No	
Items marked by (X) are in	violation.				•
1. SITE - HE-24-04			OPERATION - HE-24-	09	
Ground Water Protecti	.on	(a) Operated According	to Plan	_ (i) Vector Control	
Surface Runoff		(b) Access to Site Limi	ted X	General Operation	
Leachate Runoff	<del></del>	_ (c) Dumping Area Restri	cted	Supplemental Cont	rol
Solid Waste in Water	Course	(c) Blowing Paper & Deb	ris	_ (j) Salvaging	
Dust Control	<del></del>	_ (d) Equipment Adequate		(k) Animals Excluded	
Odor Control		(d) Equipment Repair	· <del></del>	_ (1) Fire Protection	<del></del>
Smoke Control		_ (e) Properly Spread	_ <del></del>		
		(e) Properly Compacted	<u>X</u>		<u> </u>
II. DOMPING & BURNING - H	E-24-06	(f) Covered Material Ad	equate X	· · · · · · · · · · · · · · · · · · ·	
Open Dumping		(f) Covered Daily	<del></del>	_ Present	
Open Burning	X	(f) Finished Cover Adeq		-	
		(g) Finished Grade Adeq		-	
III. APPROVALS		(h) Special Material Ha	=		
Site - HE-24-07		Sewage Solid		_	
Plan - HE-24-08		Sewage Liqui Hazardous Su		-	
DUMP AND LANDFII	LL. THE ABOV	E VIOLATIONS WERE NO	TED AND YOU BEI	NG THE LICENSEE OF THE	SITE,
MUST COMPLY WITH	HIN THIRTY (3	O) DAYS WITH THE MON	TGOMERY COUNTY	SANITARY REGULATION 65	,
ELATIVE TO DIS	POSAL OF SOLT	D WASTES		·	
LDAILTE TO DIG	TOUR OF THE	D 1814-18-04			
SECTION 65.65	ALL GARBAGE A	ND REFUSE SHALL BE S	PREAD IN LAYERS	OF APPROXIMATELY ONE	(1)
	FOOT AND THOR	OUGHLY COMPACTED WIT	H HEAVY EQUIPME	NT. AT THE END OF EAC	H DAYS
	OPERATION, TH	E AREA SHALL BE COVE	RED WITH A MINI	MUM OF SIX (6) INCHES	0F
	EARTH AND THO	ROUGHLY COMPACTED.	NO EXPOSED GARB	AGE OR REFUSE WILL BE	
!	PERMITTED AT	THE CLOSE OF DAILY O	PERATION.		
	SEPARATION OF	REFUSE REQUIRING LA	NOFILL SHOULD B	E MADE FROM INERT INDI	JSTRIAL
	<del></del>			LANDFILLED. (SEE SE	
		THE OTTOOLS BE MODE!			
	65.67)	II DE BERMITTER AN T	THE FAMOUR CTT	E AC CTIBINATED DV TU	E ROADD
		LL DE PERMITTEN UN I	UE FAMILIEF 211	E AS STIPULATED BY TH	- DUAKU
FEBRUARY 20 & 2			E. O'BRIEN	Sanitarium	
OH - 4825, 10	•	unti		01	VER

OF HEALTH UPON ISSUANCE OF YOUR LICENSE. IF BURNING OF WOOD, FREE OF GARBAGE AND : REFUSE IS PERMITTED ON ADJACENT PROPERTY BY LOCAL ZONING AND FIRE DEFICIALS, THIS BURNING MUST BE KEPT A MINIMUM OF THREE HUNDRED FEET (3001) FROM THE LANDFILL SITE.

DAILY RECORDS MUST BE KEPT OF YOUR OPERATION AND SUBMITTED TO THE INSPECTING SANITARIAN UPON REQUEST. FORMS FOR THIS PURPOSE HAVE BEEN MAILED THIS DATE UNDER SEPARATE COVER.

IF YOU HAVE ANY QUESTIONS REGARDING THIS LETTER OR IF WE CAN BE OF ANY ASSISTANCE. PLEASE FEEL FREE TO CALL UPON US.

MORAINE PRODUCTS

DAYTON STRUEL
DAYTON P. L.
Good WILL
SAL ARMY

	UMP ( MAC) - CARO)   LE - ( NO) - EU	EPA-R5-2016-005963 Outlook0000564
	MEALTH DISTRICT	- DHio
<i>C</i> -		<u>, , , , , , , , , , , , , , , , , , , </u>
Name of Landfill buth Day:	TON DUMY & FORNIFILLOGAL	1975 SPRINGBORD PIKIS
Name of Candill		2708 KREITZER KOAD
Method of Operation - Trench		Other
Estimated Daily Receipts - Loads	9 <b>~</b> ^	Cubic Yards
		Estimated Remaining Life
	ryBorrow Pit	
	•	Hillside
•		Other
Hours of Operations	A. M. To	P.M. Days operated per week
Geographic Area Served 12001601	Population	P.M. Days operated per weekon Served
License Number	Salvaging Permitted - Yes	No
Items marked by (X) are in violation.		
I. SITE - HE-24-04	IV. OPERATION	HE-24-09
Ground Water Protection	(a) Operated According to Plan	(i) Vector Control
Surface Runoff	(b) Access to Site Limited	General Operation
Leachate Runoff	(c) Dumping Area Restricted	Supplemental Control
Solid Waste in Water Course	(c) Blowing Paper & Debris	(j) Salvaging
Dust Control	(d) Equipment Adequate	(k) Animals Excluded
Odor Control	(d) Equipment Repair	(1) Fire Protection
Smoke Control	(e) Properly Spread	(m) Hot or Burning Loads
$\sim$	(e) Properly Compacted	(n) Records
II. DUMPING & BURNING - HE-24-06	(f) Covered Material Adequate	(o) Responsible Party
Open Dumping	(f) Covered Daily	Present
Open Burning	(f) Finished Cover Adequate	
Open burning	(g) Finished Grade Adequate	
III. APPROVALS	(h) Special Material Handling	
Site - HE-24-07	Sewage Solids	
Plan - HE-24-08	Sewage Liquids	<del></del>
	Hazardous Substances	
COMMENTS AND RECOMMENDATIONS:		
5== 1515		- Ti V. D 50
SECTION 65.65	GYIRDIGE, IAIN	T. THIMMER, PAPER,
	To - as Fi	
	TUKNIUKE DEIN	6 Duryses AND NOT
The state of the s	COVERED.	<b>'</b>
	This Ferrior PT	THE POUTGOMERY
	('DUNTY SUITAR.	KE GULATION KELATIVE
	To DISINGHI XF	Solid Kinsies READS
	All GARBAGE A	ND KEFUSE SHALL BE
	SPREAD W LA	IFKS OF HYPKOXIMMTEL
		D THORONGHLY CEMPTE
		QUIDITIAT. AT THE EN
	•	
	At MACH DOUS	DERATION THE AREA

ODH - 4825.10

SHALL BE COVERED WITH

MICH 27, 1969

DH - 4825. 10

Sanitarian

Sanitarian

WILLIAM H. BINES

#### SANITARY LANDFILL INSPECTION FORM

### MONTGOMERY COUNTY OHIO HEALTH DISTRICT

Name of Landfill SOUTH DAYTON DUE	& LANDFILL	Location 1975 SPRINGBORD PIKE
		Address 2708 KREITZER ROAD
		Other
Estimated Daily Receipts - Loads	Tons	Cubic Yards
Area of Landfill - Total Acres45	Acres Filled	Estimated Remaining Life
General Characteristics of Site - Quarry	Bor	row Pit
		Gully Hillside
Level Area	Marsh or Flood Plain	Other
Hours of Operations	A. M. To	P.M. Days operated per week
		pulation Served
License Number5	Salvaging Permitted - YesX	No
Items marked by (X) are in violation		
I. SITE - HE-24-04		ATION - HE-24-09
	(a) Operated According to Pl	an (i) Vector Control
	(b) Access to Site Limited	General Operation
	(c) Dumping Area Restricted	Supplemental Control
	(c) Blowing Paper & Debris	(j) Salvaging
	(d) Equipment Adequate	(k) Animals Excluded
Odor Control	(d) Equipment Repair	(1) Fire Protection _
Smoke Control	(e) Properly Spread	(m) Hot or Burning Loads
	(e) Properly Compacted	(n) Records
II. DUMPING & BURNING - HE-24-06	(f) Covered Material Adequate	• • • • • • • • • • • • • • • • • • • •
Open Dumping	(f) Covered Daily	Present .
Open Burning	(f) Finished Cover Adequate	<del></del>
	(g) Finished Grade Adequate	
III. APPROVALS	(h) Special Material Handlin	g
Site - HE-24-07	Sewage Solids	<del></del>
Plan - HE-24-08	Sewage Liquids Hazardous Substan	
COMMENTS AND RECOMMENDATIONS:  SECTION 65.65 GARBAGE, PAINT,	, PAPER AND FURNITURE ARE (	BEING DUMPED AND NOT COVERED AND
COMPACTED AT TH	IE END OF EACH DAY'S OPERAT	TION.
NO EXPOSED GARB	AGE AND REFUSE WILL BE PER	RMITTED AT THE CLOSE OF THE DAILY
OPERATION.		
REFUSE REQUIRIN	IG LANDFILL SHOULD BE SEPAI	RATED FROM INERT INDUSTRIAL WASTE
		THE CHAPT AND ADDRESS OF THE PARTY OF THE PA
MATERIAL. ALL	PAPER MUST BE LANDFILLED.	
<del> </del>		
APRIL 10, 1969		
Date	WILLIAM H	RINES Sanitarian

Montgomery County HEALTH DISTRICT	file:	12/31/64
HEALTH DISTRICT	L	

thad of Operation Transh	1ot Add	
		Other
		Cubic Yards
		Estimated Remaining Life
	Borrow E	
		Hillside
		P.M. Days operated per week
		tion Served 8000000 +
	Salvaging Permitted - Yes	
ems marked by (X) are in violation.		
I. SITE - HE-24-04	IV. OPERATION	
	(a) Operated According to Plan	(i) Vector Control
	(b) Access to Site Limited	General OperationSupplemental Control _
	(c) Dumping Area Restricted	and the second second
	(c) Blowing Paper & Debris	(j) Salvaging (k) Animals Excluded
	(d) Equipment Adequate	
	(d) Equipment Repair	(1) Fire Protection
Smoke Control	(e) Properly Spread	(m) Hot or Burning Loads _
T DESCRIPTION OF DESCRIPTION OF CO.	<ul><li>(e) Properly Compacted</li><li>(f) Covered Material Adequate</li></ul>	(n) Records
I. DUMPING & BURNING - HE-24-06	(f) Covered Material Adequate (f) Covered Daily	(0) Responsible Party Present
Open Dumping	(f) Finished Cover Adequate	Present _
Open Burning	(g) Finished Grade Adequate	
Y ADDROUAT C	(h) Special Material Handling	
I. APPROVALS	(n) Special Material Handling Sewage Solids	
Site - HE-24-07	Sewage Liquids	
Plan - HE-24-08	Hazardous Substances	
MMENTS AND RECOMMENDATIONS:		
	fill site must cease. Open bu	rning is not permitted.
1. All burning on the land		
1. All burning on the land		rning is not permitted.  Ath earth or foundry sand at a
<ol> <li>All burning on the land</li> <li>All exposed material sh</li> </ol>	all be compacted and covered w	ith earth or foundry sand at a
All burning on the land     All exposed material sh     required finished cover	all be compacted and covered w	ith earth or foundry sand at a
All burning on the land     All exposed material sh     required finished cover	all be compacted and covered w	ith earth or foundry sand at a
<ol> <li>All burning on the land</li> <li>All exposed material sh required finished cover harborage. In addition</li> </ol>	depth of two feet to prevent	ith earth or foundry sand at a
All burning on the land     All exposed material sh     required finished cover	depth of two feet to prevent	ith earth or foundry sand at a
All exposed material sh     required finished cover     harborage. In addition     described in previous c	all be compacted and covered we depth of two feet to prevent , a comprehensive program of respondence.	ith earth or foundry sand at a unsightliffess and insect and rode odent elimination is required as
2. All exposed material sh required finished cover harborage. In addition described in previous c	all be compacted and covered we depth of two feet to prevent , a comprehensive program of respondence.	ith earth or foundry sand at a unsightliffess and insect and rode odent elimination is required as
1. All burning on the land 2. All exposed material sh required finished cover harborage. In addition described in previous c 3. On December 31, 1969, y	depth of two feet to prevent , a comprehensive program of r orrespondence.  our landfill permit expires.	ith earth or foundry sand at a unsightliffees and insect and rode odent elimination is required as Solid waste as defined by Sec.
1. All burning on the land 2. All exposed material sh required finished cover harborage. In addition described in previous c 3. On December 31, 1969, y	depth of two feet to prevent , a comprehensive program of r orrespondence.  our landfill permit expires.	ith earth or foundry sand at a unsightliffess and insect and rode odent elimination is required as
1. All burning on the land 2. All exposed material sh required finished cover harborage. In addition described in previous c 3. On December 31, 1969, y	depth of two feet to prevent , a comprehensive program of r orrespondence.  our landfill permit expires.	ith earth or foundry sand at a unsightliffees and insect and rode odent elimination is required as Solid waste as defined by Sec.
1. All burning on the land 2. All exposed material sh required finished cover harborage. In addition described in previous c 3. On December 31, 1969, y	depth of two feet to prevent , a comprehensive program of r orrespondence.  our landfill permit expires.	ith earth or foundry sand at a unsightliffees and insect and rode odent elimination is required as Solid waste as defined by Sec.
1. All burning on the land 2. All exposed material sh required finished cover harborage. In addition described in previous c 3. On December 31, 1969, y	depth of two feet to prevent , a comprehensive program of r orrespondence.  our landfill permit expires.	ith earth or foundry sand at a unsightliffees and insect and rode odent elimination is required as Solid waste as defined by Sec.
1. All burning on the land 2. All exposed material sh required finished cover harborage. In addition described in previous c 3. On December 31, 1969, y	depth of two feet to prevent , a comprehensive program of r orrespondence.  our landfill permit expires.	ith earth or foundry sand at a unsightliffees and insect and rode odent elimination is required as Solid waste as defined by Sec.
1. All burning on the land 2. All exposed material sh required finished cover harborage. In addition described in previous c 3. On December 31, 1969, y	depth of two feet to prevent , a comprehensive program of r orrespondence.  our landfill permit expires.	ith earth or foundry sand at a unsightliffees and insect and rode odent elimination is required as Solid waste as defined by Sec.
1. All burning on the land 2. All exposed material sh required finished cover harborage. In addition described in previous c 3. On December 31, 1969, y	depth of two feet to prevent , a comprehensive program of r orrespondence.  our landfill permit expires.	ith earth or foundry sand at a unsightliffees and insect and rode odent elimination is required as Solid waste as defined by Sec.
1. All burning on the land 2. All exposed material sh required finished cover harborage. In addition described in previous c 3. On December 31, 1969, y	depth of two feet to prevent , a comprehensive program of r orrespondence.  our landfill permit expires.	ith earth or foundry sand at a unsightliffees and insect and rode odent elimination is required as Solid waste as defined by Sec.
1. All burning on the land 2. All exposed material sh required finished cover harborage. In addition described in previous c 3. On December 31, 1969, y	depth of two feet to prevent , a comprehensive program of r orrespondence.  our landfill permit expires.	ith earth or foundry sand at a unsightliffees and insect and rode odent elimination is required as Solid waste as defined by Sec.
1. All burning on the land 2. All exposed material sh required finished cover harborage. In addition described in previous c 3. On December 31, 1969, y	depth of two feet to prevent , a comprehensive program of r orrespondence.  our landfill permit expires.	ith earth or foundry sand at a unsightliffees and insect and rode odent elimination is required as Solid waste as defined by Sec.
1. All burning on the land 2. All exposed material sh required finished cover harborage. In addition described in previous c 3. On December 31, 1969, y	depth of two feet to prevent , a comprehensive program of r orrespondence.  our landfill permit expires.	ith earth or foundry sand at a unsightliffees and insect and rode odent elimination is required as Solid waste as defined by Sec.
1. All burning on the land 2. All exposed material sh required finished cover harborage. In addition described in previous c 3. On December 31, 1969, y	depth of two feet to prevent , a comprehensive program of r orrespondence.  our landfill permit expires.	ith earth or foundry sand at a unsightliffees and insect and rode odent elimination is required as Solid waste as defined by Sec.
1. All burning on the land 2. All exposed material sh required finished cover harborage. In addition described in previous c 3. On December 31, 1969, y	depth of two feet to prevent , a comprehensive program of r orrespondence.  our landfill permit expires.	ith earth or foundry sand at a unsightliffees and insect and rode odent elimination is required as Solid waste as defined by Sec.
1. All burning on the land 2. All exposed material sh required finished cover harborage. In addition described in previous c 3. On December 31, 1969, y	depth of two feet to prevent , a comprehensive program of r orrespondence.  our landfill permit expires.  ised Code may not be accepted	ith earth or foundry sand at a unsightliffees and insect and rode odent elimination is required as Solid waste as defined by Sec.

# Montgomery County, Ohio HEALTH DISTRICT

Name of Landfill South Dayton Landfil	1 Locatio	on 1975 Springboro Pike. Dayton. Oh
Name of Operator Mr. Alcine Grillot	Address	2708 Kreitzer Rd., Devton, Ohio
Method of Operation - Trench	Area A	Other
Estimated Daily Receipts - Loads 35	Tons	Cubic Yards
Area of Landfill - Total Acres	Acres Filled	Estimated Remaining LifeYr
General Characteristics of Site - Quarry	Borrow Pit	
		Hillside
Level Area Ma	ersh or Flood Plain	Other
Hours of Operations	A. M. To5 200	P.M. Days operated per week
Geographic Area Served	Y Population	Served
License Number Sali	vaging Permitted - Yes	No
Items marked by (X) are in violation.	TH. 0000 1000	
I. SITE - HE-24-04	IV. OPERATOR - HE	
	a) Operated According to Plan	(i) Vector Control
	(b) Access to Site Limited	General Operation
,	c) Dumping Area Restricted	Supplemental Control
	c) Blowing Paper & Debris	(j) Salvaging
	d) Equipment Adequate	(k) Animals Excluded
	d) Equipment Repair	(1) Fire Protection
	e) Properly Spread	(m) Hot or Burning Loads
•	e) Properly Compacted	(n) Records
,	f) Covered Material Adequate f) Covered Daily	(o) Responsible Party Present
Open Dumping	f) Finished Cover Adequate	Present
Open Burning A	g) Finished Cover Adequate	
·	h) Special Material Handling	
III. AFTRUVALS (	Sewage Solids	
Site - HE-24-07	Sewage Liquids	
Plan - HE-24-08	Hazardous Substances	
	mazar dodo Sabotanees	<del></del>
COMMENTS AND RECOMMENDATIONS:		
II. 8. Open burning is not per	mitted on the landfill site	. Discontinue all such burning.
W. (f). Daily cover - A compact	ed layer of at least six (6	i) inches of material is to be used
An anna 111	444	
to cover all exposed so	lid wastes at the end of ea	ich working day.
On December 31, 1969, your landf	411 normit evnired. Solid	waste or defined by Section
	iti permit expired. 30114	wester as delined by section
3734-01 of the Ohio Revised Code	. may not be accepted unles	s your permit is renewed for 1970.
	,,	, , , , , , , , , , , , , , , , , , ,
<del></del>	<del></del>	
February 24, 1970		

200 -	<u>^</u>
Montgomery,	. مهي
HEALTH DISTOROT	

			_
رسلع	ىسىس	files	

Name of Landfill South Dayton	- Dumpan Turfiel	ocation 1975 Speringham Rd.
Name of Operator Claime.	Brillit 1	Address 1768 Kneither Rd
Method of Operation - Trench	Area	Other
		Cubic Yards
Area of Landfill - Total Acres	45 Acres Filled	Estimated Remaining LifeY
General Characteristics of Site - Quarry		
		ally Hillside
		Other
		P.M. Days operated per week
· · · · · · · · · · · · · · · · · · ·	7	lation Served <u>YCO, OCC</u>
License Number	Salvaging Permitted - Yes	No
I tems marked by (X) are in violation.		
I. SITE - HE-24-04	IV. OPERAT	ION - HE-24-09
Ground Water Protection	(a) Operated According to Plan	(i) Vector Control
Surface Runoff	(b) Access to Site Limited	General Operation
Leachate Runoff	(c) Dumping Area Restricted	Supplemental Control
Solid Waste in Water Course	(c) Blowing Paper & Debris	(j) Salvaging
Dust Control	(d) Equipment Adequate	(k) Animals Excluded
Odor Control	(d) Equipment Repair	(1) Fire Protection
Smoke Control	(e) Properly Spread	(m) Hot or Burning Loads
-	(e) Properly Compacted	(n) Records
II. DUMPING & BURNING - HE-24-06	(f) Covered Material Adequate	(o) Responsible Party
Open Dumping	(f) Covered Daily	X Present
Open Burning	(f) Finished Cover Adequate	
Optil Barning	(g) Finished Grade Adequate	
III. APPROVALS	(h) Special Material Handling	
Site - HE-24-07	Sewage Solids	and the second s
Plan - HE-24-08	Sewage Liquids	And the second second
- · · · · · · · · · · · · · · · · · · ·	Hazardous Substance	s
COMMENTS AND RECOMMENDATIONS:		
IL HE - 24 - 66 (1) Once	0	+ lass P+ad in
176 27 60 (47)	a burning is m	
lead	dill ita Gran	burning was observed
	The same of the sa	many of the
	#4	•
	Jan any	
IV HE - 24-09(a) ]1.	landfill in not	being operated according
to	in your time you	reduce plan, since we
, <del>per</del>	much on fier.	• •
IV HE-24-09(e) M	sterril is not being	y properly comported.
	•	
(f) 21	e express refuser	materials are not
	sing consud decl	with at least 6"
	fel moterial	on a duly bain Solid
· · · · · · · · · · · · · · · · · · ·		
luc	stea are laying	respond on the
	•	
au	face of the gran	md t
	•	
(m.) W.	have me current	marke of your
		<u> </u>
da	by log of operations	for 1970.
	Dele	E. Alexander Sanitarian

### Montzomery Country MEALTH DISTRICT

Name of Landfill South Dayton	Dung en Lanfiel	Location 1975 Springlesse Road
Name of Operator	llet	Address 2708 Kneetyen Road
Method of Operation - Trench	Area	X Other
		Cubic Yards
		Estimated Remaining Life
		row Pit
		Gully Hillside
		Other
		P.M. Days operated per week
		pulation ServedSCO, oo o
License Number	Salvaging Permitted - Yes	NO
Items marked by (X) are in violation.		
I. SITE - HE-24-04	IV. OPER	ATION - HE-24-09
Ground Water Protection	_ (a) Operated According to Pl	an (i) Vector Control
	(b) Access to Site Limited	General Operation
Leachate Runoff		Supplemental Control
	(c) Blowing Paper & Debris	(j) Salvaging
	(d) Equipment Adequate	(k) Animals Excluded
Odor Control	(d) Equipment Repair	(1) Fire Protection
Smoke Control	(e) Properly Spread	(m) Hot or Burning Loads
	(e) Properly Compacted	(n) Records
II. DUMPING & BURNING - HE-24-06	(f) Covered Material Adequat	* * * * * * * * * * * * * * * * * * * *
Open Dumping	(f) Covered Daily	Present
Open Burning	(f) Finished Cover Adequate (g) Finished Grade Adequate	<del></del>
III. APPROVALS	(h) Special Material Handlin	σ
III. AFFRUYALS	Sewage Solids	5
Site - HE-24-07	Sewage Liquids	
Plan - HE-24-08	Hazardous Substan	ces
COMMENTS AND RECOMMENDATIONS:	e stone industru	I vaste dispose cite
were made on again	17. 1970, and	may 25, 1970, by the
e dead and an tour		·
Munua Din	mitte ma	. Kenneth Griebert, an
	•	
may 25, severeled 7	that at present	the above sete is
- arespectively		metal, and wood
- reduce Solid di	Il materiel is	deposited in the northern
portion of the SA	soppose, metali	deposited in the
	an	(
central portion of	the area, the	wood is burned in the
mestera gention o	of the area. P.	evidually, metal in
solveiged for sile	from the stone	este
	•	
we must require	men you within	you radent elemention
11	The gra	
5-25-70 Date	Dag	Sanitarian
ODH - 4825. 10 Curtile Cop	tsetout	Sanitarian

				fre	المالي المالي المالي
montgo	my Con	In Comes	ing the	للمسيدن	Son & meet
	MEALTH DIST	RICT			

Name of Landfill	Carra de Français	v.	morin,
Name of Operator The Comme			
Method of Operation - Trench			
Estimated Daily Receipts - Loads			
Area of Landfill - Total Acres			
General Characteristics of Site - Quarry			•
			Hillside
			Other
Hours of Operations			
Geographic Area Served			
License Number			
Broomer Hamour			
Items marked by (X) are in violation.			
I. SITE - HE-24-04		PERATION - HE-24-09	
Ground Water Protection	(, <b></b>	-	(i) Vector Control
Surface Runoff	(b) Access to Site Limit		General Operation
Leachate Runoff	(c) Dumping Area Restric		Supplemental Control
Solid Waste in Water Course	(c) Blowing Paper & Debr	is	(j) Salvaging
Dust Control	(d) Equipment Adequate		(k) Animals Excluded
Odor Control	(d) Equipment Repair		(1) Fire Protection
Smoke Control	(e) Properly Spread		(m) Hot or Burning Loads
$\smile$	(e) Properly Compacted		(n) Records
II. DUMPING & BURNING - HE-24-06	(f) Covered Material Ade	quate	(o) Responsible Party
Open Dumping	(f) Covered Daily		Present
Open Burning	(f) Finished Cover Adequ		
	(g) Finished Grade Adequ		
III. APPROVALS	(h) Special Material Han	=	
Site - HE-24-07	Sewage Solids		
Plan - HE-24-08	Sewage Liquid	s	
	Hazardous Sub	stances	
COMMENTS AND RECOMMENDATIONS:			
	-4.0 4		. · <u> </u>
- 9 majorie Trans	the above answerter		
in mais on aug	1970,	· - &	6. 3. 1. 9 1. 2. 1
- In the state of	TE, MAYAROVA	a april	7,-2/,
1976			
1976.			
- Sulid fill in	being departed	in the le	udfill area,
•			
and metal is sel	inger from t	la central	and of the
6	$\boldsymbol{\nu}$		2
lanifiel			
			P
an an Eusta	- Statiuter is	uninely.	very out
on the site for	disposed of Con	neurille.	melendo.
· · · · · · · · · · · · · · · · · · ·	•		
a satisfactory	puter of the	Luta suco.	we
thousand on all a	1) The import	an delin.	
•			
9-12-76 Date		S. e n	Para la l
Date		San	lafanlar